# Food Questionnaire



This form asks about your usual food intake during

Please use pencil.

Answer by filling in the correct oval.

Yes

No

Do not make any other marks on the form. Please use a separate piece of paper to make comments.



Please print your name in this box.

	TODAY'S DATE MO DAY YEAR							ID	ΕN	ITI	FIC	CA	TIC	N	N		
M	0	D/	٩Y	,	ΥE	AF	ł			1	<b>IU</b>	ME	BEF	₹			
0	0	0	0	0			0	0	0	0	0	0	0	0	0	0	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	2	2	2		2	2	2	2	2	2	2	2	2	2	2	2	
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
	4		4	4	4	4	4	4	4	4	4	4	4	4	4	4	
	<b>5</b>		<b>5</b>	(5)	<b>5</b>	(5)	<b>5</b>	(5)	<b>5</b>	(5)	(5)	<b>5</b>	(5)	(5)	(5)	<b>5</b>	
	6		6	6	6	6	6	6	6	6	6	6	6	6	6	6	
	7		7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	8		8	8	8	8	8	8	8	8	8	8	8	8	8	8	
	9		9	9	9	9	9	9	9	9	9	9	9	9	9	9	

**GSEL** 

### Part I: Usual Food Choices

These questions are about the types of foods you ate during


1. Did	you	eat	chicken	or	turkey	<b>y</b> ?
--------	-----	-----	---------	----	--------	------------




#### 2. Did you eat beef, pork, ham or lamb?




## 3. Did you eat hamburger or other ground meat?



4. Did you drink orange, grapefruit or other fruit juices?



#### 5. Did you eat cold cereals?



6. Did you put milk (all types), cream or creamer on cereal?

○ Yes → ○ No	When you put milk, cream o creamer on cereal, what type did you usually use?  Mark one or two.
	<ul> <li>Cream or half and half</li> <li>Whole milk</li> <li>2% milk</li> <li>1% milk or buttermilk</li> <li>Nonfat or skim milk</li> <li>Soy milk</li> <li>Non-dairy creamer</li> <li>Don't know</li> </ul>

	it milk (all types), cream or	11. Did you e	at cookies or cakes?
	When you put milk, cream or creamer in coffee or tea, what type did you usually use? Mark one or two.  Cream or half and half  Whole milk  2% milk  1% milk or buttermilk  Nonfat or skim milk  Soy milk  Non-dairy creamer  Don't know	○ No ↓	When you ate cookies or cakes, how often were they fig bars, SnackWell's®, angel food cakes, or other types of low or nonfat cookies or cakes?  Almost always Often Sometimes Rarely Never
beverages cappuccino	ink milk (all types)? Also include made with milk, such as lattes, as, mochas or hot chocolate.  When you drank milk or beverages made with milk, was it usually  Mark one or two.  Whole milk  2% milk  Nonfat or skim milk  Soy milk  Don't know	usually flavor ve Mark up  Butte Stick Tub o Lowfa Olive Cano Other and s Lard, Didn't	margarine or liquid margarine at margarine oil la oil r oils such as corn, soybean, peanut afflower bacon fat or meat drippings t use fat or used non-stick spray
○ Yes →	se salad dressing? When you used salad	for exan	nds of fat did you use at the table, nple on breads, vegetables oes? Mark up to four.
No	dressing, what type did you usually use? Mark one or two.  Regular, including oil and vinegar  Low or reduced fat Fat free or nonfat	<ul><li>Tub o</li><li>Lowfa</li><li>Olive</li><li>Sour</li></ul>	margarine or liquid margarine at margarine oil
10. Did you us	se mayonnaise?	_ Bidiri	1 400 141
○ Yes → ○ No ↓	When you used mayonnaise, what type did you usually use? Mark one or two.  Regular  Low or reduced fat Fat free or nonfat		
	PLEASE DO NOT WRITE IN THIS		SERIAL #
		3	

### Part II: Usual Food Use

#### These questions are about foods you ate during

- 14. Mark the column to show how often, on average, you ate the following foods.

  Mark your usual serving size as small, medium or large.
  - A small serving is about one-half (1/2) the medium serving size or less.
  - A large serving is about one-and-a-half  $(1\frac{1}{2})$  times the medium serving size or more.

<b>EXAMPLE</b> : This man ate spaghetti with meat sauce every Saturday. He usually ate about 21/2 cups.													
HOW OFTEN DID YOU EAT THESE FOODS? → AMOUNT?													
	NEVER or less than once per month	<b>1</b> per	<b>2-3</b> per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	S	M	L
Spaghetti, lasagna, and other pasta with tomato with meat sauce	0	0	0		0	0	0	0	0	11/ <sub>2</sub> cups	0	0	

CEREALS, BREADS, SNACKS  HOW OFTEN DID YOU EAT THESE FOODS? → AMOUNT?														
	HOW (	OFTE	N DID	YOU	EAT	THE	SE F	OODS	<b>S</b> ?	<b>→</b>	ΑN	IOUN	Т?	
	NEVER or less than once per month	<b>1</b> per	2-3 per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	s	M	L	
Cold cereals	0	0	0	0	0	0	0	0	0	1 cup	0	0	0	
Cooked cereals and grits	0	0	0	0	0	0	0	0	0	1cup	0	0	0	
Milk on cereals	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0	
Pancakes, French toast and waffles	0	0	0	0	0	0	0	0	0	2 pieces	0	0	0	
Muffins, scones, croissants and biscuits	0	0	0	0	0	0	0	0	0	1 medium	0	0	0	
White breads, including bagels, rolls and English muffins	0	0	0	0	0	0	0	0	0	2 slices or 1 medium	0	0	0	
Dark breads, including dark bagels and rolls	0	0	0	0	0	0	0	0	0	2 slices or 1 medium	0	0	0	
Cornbread and corn muffins	0	0	0	0	0	0	0	0	0	2 slices or 1 medium	0	0	0	
Butter or margarine on breads, cereals, pancakes, etc.	0	0	0	0	0	0	0	0	0	2 pats or 2 teaspoons	0	0	0	
Jam, jelly, honey and syrup	0	0	0	0	0	0	0	0	0	2 Tbsp.	0	0	0	
Granola bars and cereal bars such as Nutri-Grain Bars®	0	0	0	0	0	0	0	0	0	1 bar	0	0	0	
Sports or meal replacement bars such as Power Bars® and Clif Bars®	0	0	0	0	0	0	0	0	0	1 bar	0	0	0	

CEREALS, BREADS, SNACKS (continued)  HOW OFTEN DID YOU EAT THESE FOODS?  → AMOUNT?													
	HOW C	FTE	N DID	YOU	EAT	THE	SE FO	OODS	3?	<b>→</b>	ΑN	IOUN	T?
	NEVER or less than once per month		<b>2-3</b> per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	s	М	L
Low or nonfat potato chips, tortilla chips and corn chips	0	0	0	0	0	0	0	0	0	2 handfuls or 1 sm. bag	0	0	0
Regular potato chips, tortilla chips, corn chips and puffs	0	0	0	0	0	0	0	9	0	2 handfuls or 1 sm. bag	9	0	0
Plain popcorn (no butter) or lowfat microwave popcorn	0	0	0	0	0	0	0	0	0	4 handfuls	0	0	0
Buttered or regular microwave popcorn	0	0	0	0	0	0	0	0	0	4 handfuls	0	0	0
Low or nonfat crackers, such as saltines and SnackWell's®	0	0	0	0	0	0	0	0	0	6 medium	0	0	0
Regular crackers, such as Ritz® and Wheat Thins®	0	0	0	0	0	0	0	0	0	6 medium	0	0	0
Peanut butter, peanuts and other nuts and seeds	0	0	0	0	0	)•	0	0	0	2 Tbsp. (spreads) or $\frac{1}{4}$ cup (nuts)	0	0	0
MEAT, FISH, EGGS													
	HOW C	FTE	N DID	YOU	EAT	THE	SE FO	OODS	3?	<u>→</u>	ΑN	T?	
	<b>NEVER</b> or												
	less than once per	<b>1</b> per month	2-3 per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	s	М	L
Eggs	less than once per		per	per	per	per	per	per	per	serving	S	M	L
	less than once per month	month	per month	per week	per week	per week	per week	per day	per day	serving size			
Bacon and breakfast sausage  Low or reduced fat hot dogs	less than once per month	month	per month	per week	per week	per week	per week	per day	per day	serving size  2 eggs  3 strips or	0	0	0
Bacon and breakfast sausage  Low or reduced fat hot dogs and sausage  Regular hot dogs and sausage	less than once per month	month	per month	per week	per week	per week	per week	per day	per day	serving size  2 eggs  3 strips or 2 links  1 hot dog or	0	0	0
Bacon and breakfast sausage  Low or reduced fat hot dogs and sausage  Regular hot dogs and sausage such as bratwurst and chorizo  Lunch meats such as ham, turkey	less than once per month	month	permonth	per week	per week	per week	per week	per day	per day	serving size  2 eggs  3 strips or 2 links  1 hot dog or 2 ounces  1 hot dog or	0	0	0
Bacon and breakfast sausage  Low or reduced fat hot dogs and sausage  Regular hot dogs and sausage such as bratwurst and chorizo  Lunch meats such as ham, turkey and lowfat bologna  All other lunch meat such as	less than once per month	month	permonth	per week	per week	per week	per week	per day	per day	serving size  2 eggs  3 strips or 2 links  1 hot dog or 2 ounces  1 hot dog or 2 ounces	0	0 0	<ul><li>O</li><li>O</li><li>O</li></ul>
Bacon and breakfast sausage  Low or reduced fat hot dogs and sausage  Regular hot dogs and sausage such as bratwurst and chorizo  Lunch meats such as ham, turkey and lowfat bologna  All other lunch meat such as bologna, salami and Spam®  Canned tuna, tuna salad and	less than once per month	month	permonth	per week	per week	per week	per week	per day	per day	serving size  2 eggs  3 strips or 2 links  1 hot dog or 2 ounces  1 hot dog or 2 ounces  2 slices  2 slices  1/2 can tuna or 1 cup	0 0	0 0 0	0
Bacon and breakfast sausage  Low or reduced fat hot dogs and sausage  Regular hot dogs and sausage such as bratwurst and chorizo  Lunch meats such as ham, turkey and lowfat bologna  All other lunch meat such as bologna, salami and Spam®  Canned tuna, tuna salad and tuna casserole	less than once per month	month	permonth	per week	per week	per week	per week	per day	per day	serving size  2 eggs  3 strips or 2 links  1 hot dog or 2 ounces  1 hot dog or 2 ounces  2 slices  2 slices	<ul><li>0</li><li>0</li><li>0</li><li>0</li><li>0</li></ul>		0
Bacon and breakfast sausage  Low or reduced fat hot dogs and sausage  Regular hot dogs and sausage such as bratwurst and chorizo  Lunch meats such as ham, turkey and lowfat bologna  All other lunch meat such as bologna, salami and Spam®  Canned tuna, tuna salad and tuna casserole  Beef, pork, ham and lamb  Ground meat, including	less than once per month	month	permonth	per week	per week	per week	per week	per day	per day	serving size  2 eggs  3 strips or 2 links  1 hot dog or 2 ounces  1 hot dog or 2 ounces  2 slices  2 slices  1/2 can tuna or 1 cup casserole			•
Eggs  Bacon and breakfast sausage  Low or reduced fat hot dogs and sausage Regular hot dogs and sausage such as bratwurst and chorizo  Lunch meats such as ham, turkey and lowfat bologna  All other lunch meat such as bologna, salami and Spam®  Canned tuna, tuna salad and tuna casserole  Beef, pork, ham and lamb  Ground meat, including hamburgers and meatloaf  Liver, chicken liver and organ meats	less than once per month	month o	permonth	per week	per week	per week	per week	per day	per day	serving size  2 eggs  3 strips or 2 links  1 hot dog or 2 ounces  1 hot dog or 2 ounces  2 slices  2 slices  1/2 can tuna or 1 cup casserole  4 ounces  1 medium			

MEAT, FISH, EGGS (continued)  HOW OFTEN DID YOU EAT THESE FOODS?  →													
			N DID	YOU	J EAT	THE	SE FO	OODS	?	<b>→</b>	A۱	IOUN	IT
	NEVER or less than once per month	<b>1</b> per	<b>2-3</b> per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	s	M	
Chicken and turkey (roasted, stewed, grilled or broiled)	0	0	0	0	0	0	0	0	0	1 large or 2 small pieces	0	0	
Fried fish, fish sandwich and fried shellfish (shrimp and oysters)	0	0	0	0	0	0	0	0	0	3 ounces or 1 sandwich	0	0	
Shellfish, not fried (shrimp, lobster, crab and oysters)	0	0	0	0	0	0	0	0	0	3 ounces or 1 cup	0	0	
White fish (broiled or baked) such as sole, halibut, snapper and cod	0	0	0	0	0	0	0	0	0	4 ounces	0	0	
Dark fish (broiled or baked) such as salmon, mackerel and bluefish	0	0	0	0	0	0	0	0	0	4 ounces	0	0	
SPAGHETTI, MIXED DISHES,	SOUPS												
	HOW	OFTE	N DID	YOU	EAT	THE	SE FO	OODS	?	<u>→</u>	A۱	IOUN	1.
	NEVER or less than once per month	<b>1</b> per	2-3 per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	S	М	
Stew, pot pie, curries and casseroles with meat or chicken	0	0	0	0	0	0	0	0	0	1 cup	0	0	
Chili with meat and beans	0	0	0	0	0	0	0	0	0	1 cup	0	0	
Spaghetti, lasagna and other pasta with tomato with meat sauce	. 0	0	0	0	0	0	0	0	0	1 cup	0	0	
Spaghetti and other pasta with tomato sauce (no meat)	0	0	0	0	0	0	0	0	0	1 cup	0	0	
Spaghetti and other pasta with oil, cheese or cream sauce, including macaroni and cheese	0	0	0	0	0	0	0	0	0	1 cup	0	0	
Asian-style (stir-fried) noodles and rice, such as chow mein, fried rice and Pad Thai	•	0	0	0	0	0	0	0	0	1 cup	0	0	
Pizza		0	0	0	0	0	0	0	0	2 slices	0	0	
Tofu, tempeh and products such as tofu hot dogs, soy burgers and tofu cheese	•	0	0	0	0	0	0	0	0	3 ounces, 1 hot dog or 1 burger	0	0	
Burritos, tacos, tostadas and quesadillas	0	0	0	0	0	0	0	0	0	1 medium	0	0	
Enchiladas and tamales	0	0	0	0	0	0	0	0	0	1 medium	0	0	
													1
Vegetable, minestrone and tomato soup	0	0	0	0	0	0	0	0	0	1 cup	0	0	

	HOW (	OFTE	N DID	YOL	JEAT	THE	SE F	DODS	3?	<b>→</b>	A۱	IOUN	IT?
	NEVER or less than once per month	<b>1</b> per	<b>2-3</b> per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	s	М	L
Bean soups such as pea, lentil and black bean	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Miso soup	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Ramen noodle soup	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Other soups such as chicken noodle	0	0	0	0	0	0	0	0	0	1 cup	0	0	C
DAIRY PRODUCTS													
	THE	SE F	OODS	3?	<b>→</b>	AMOUNT							
	NEVER or less than once per month	<b>1</b> per	2-3 per month	<b>1</b> per week	2 per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	2+ per day	Medium serving size	S	M	L
Cottage cheese and ricotta cheese	0	6	0	0	Q	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	C
Low or reduced fat cheese, ncluding cheese used n cooking	0	0	0	0	0	0	0	0	0	1 slice or <sup>1</sup> / <sub>4</sub> cup shredded	0	0	C
All other cheese (American, cheddar or cream), including cheese used in cooking	0	0	0	0	0	0	0	0	0	1 slice, <sup>1</sup> / <sub>4</sub> cup shredded or 2 Tbsp. cream	0	0	C
Yogurt, all types except frozen	0	0	0	0	0	0	0	0	0	1 cup	0	0	C
VEGETABLES and GRAINS													
	HOW	OFTE	N DID	YOL	J EAT	THE	SE FO	OODS	3?	<b>→</b>	ΑN	IOUN	IT?
	NEVER or less than once per month	<b>1</b> per month	<b>2-3</b> per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	s	M	L
Mark all vegetables you	ate, inclu	ding	in sa	alads	s, mix	xed c	lishe	s, sa	ndwi	iches and s	tir-fri	es.	
Green salad (lettuce or spinach)	0	0	0	0	0	0	0	0	0	1 cup	0	0	C
Salad dressing (all types)	0	0	0	0	0	0	0	0	0	2 Tbsp.	0	0	C
Fresh tomatoes	0	0	0	0	0	0	0	0	0	1 medium or 4 slices	0	0	
Carrots	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	C
Green peppers and green chilies	0	0	0	0	0	0	0	0	0	1/ <sub>4</sub> cup	0	0	C
Red peppers and red chilies								0	0	<sup>1</sup> / <sub>4</sub> cup			

VEGETABLES and GRAINS (continued)  HOW OFTEN DID YOU EAT THESE FOODS? → AMOUNT?													
	FTE	N DID	YOU	EAT	THE	SE FC	ODS	?	<b>→</b>	ΑN	IOUN	T?	
	NEVER or less than once per month	<b>1</b> per	<b>2-3</b> per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	s	M	L
Mark all vegetables you	ate, inclu	ding	in sa	alads	, mix	ced a	ishe	s, sa	ndwi	che <mark>s and s</mark>	tir-fri	es.	
Broccoli	0	0	0	0	0	0	0	0	0/	1/ <sub>2</sub> cup	0	0	0
Cauliflower, cabbage and Brussels sprouts	0	0	0	0	0	0	0	0	0	1/ <sub>2</sub> cup	0	0	0
Green or string beans	0	0	0	0	0	0	0	0	0	1/ <sub>2</sub> cup	0	0	0
Green peas	0	0	0	0	0	0	0	0	0	1/ <sub>2</sub> cup	0	0	0
Corn and hominy	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0
Summer squash and zucchini	0	0	0	6	0	0	0	0	0	1/ <sub>2</sub> cup	0	0	0
Winter squash such as acorn, butternut and pumpkin	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0
Yams and sweet potatoes	0	0	0	0	0	0	0	0	0	1 medium	0	0	0
Cooked greens such as spinach, mustard greens and collards	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0
Onions and leeks	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>4</sub> cup	0	0	0
Fresh garlic, including in cooking	0	0	0	0	0	0	0	0	0	1 clove	0	0	0
Avocado and guacamole	0	0	0	0	0	0	0	0	0	$^{1/_{4}}$ medium or $^{1/_{4}}$ cup	0	0	0
French fries, fried potatoes and hash browns	0	0	0	0	0	0	0	0	0	3/ <sub>4</sub> cup	0	0	0
Potatoes (boiled, baked or mashed)		0	0	0	0	0	0	0	0	1 medium or <sup>3</sup> / <sub>4</sub> cup	0	0	0
Refried beans	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0
All other beans (baked, lima or chili without meat)		0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0
Coleslaw	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0
Potato, macaroni and pasta salads made with mayonnaise or oil	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0
Rice, noodles and other grains (as a side dish)	0	0	0	0	0	0	0	0	0	<sup>3</sup> / <sub>4</sub> cup	0	0	0
Butter, margarine, sour cream and other fat added to vegetables, potatoes and rice	0	0	0	0	0	0	0	0	0	1 pat or 1 teaspoon	0	0	0

PLEASE DO NOT WRITE IN THIS AREA

SERIAL#

SAUCES and CONDIMENTS													
	HOW (	OFTE	N DID	ΥΟι	J EAT	THE	SE FC	OODS	<b>3</b> ?	<b>→</b>	ΑN	IOUN	Т?
	NEVER or less than once per month	<b>1</b> per	<b>2-3</b> per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	S	M	L
Cheese sauce and cream sauce	0	0	0	0	0	0	0	0	0	1/ <sub>4</sub> cup	0	0	0
Meat gravies	0	0	0	0	0	0	0	0	0	1/ <sub>4</sub> cup	0	0	0
Ketchup	0	0	0	0	0	0	0	0	0	2 Tbsp.	0	0	0
Salsa (as dip or on foods)	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>4</sub> cup	0	0	0
Mayonnaise and mayonnaise-type spreads	0	0	0	0	0	0	0	0	0	2 Tbsp.	0	0	0

FRUITS													
	HOW (	)FTE	N DID	YOU	JEAT	THE	SE FO	OODS	3?	<b>→</b>	ΑN	IOUN	IT?
	NEVER or less than once per month	1 per	2-3 per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medium serving size	S	M	L
Apples, applesauce and pears	0	0	0	0	0	0	0	0	0	1 medium or $\frac{1}{2}$ cup	0	0	0
Bananas	0	0	0	0	0	0	0	0	0	1 medium	0	0	0
Peaches, nectarines and plums	0	0	0	0	0	0	0	0	0	1 medium or $\frac{1}{2}$ cup	0	0	0
Apricots (fresh, canned or dried)	0	0	0	0	0	0	0	0	0	2 medium or 4 halves	0	0	0
Dried fruit (other than apricots) such as raisins and prunes	0	0	0	0	0	0	0	0	0	1/ <sub>4</sub> cup	0	0	0
Oranges, grapefruit and tangerines (not juice)		0	0	0	0	0	0	0	0	1 orange or ½ grapefruit	0	0	0
Berries such as strawberries and blueberries		0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0
Cantaloupe, orange melon and mango (in season)	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>4</sub> melon or <sup>1</sup> / <sub>2</sub> mango	0	0	0
Watermelon and red melon	0	0	0	0	0	0	0	0	0	1 medium slice	0	0	0
Any other fruit such as grapes, fruit cocktail, pineapple and cherries	0	0	0	0	0	0	0	0	0	<sup>1</sup> / <sub>2</sub> cup	0	0	0

	HOW OFTEN DID YOU EAT THESE FOODS?							$\rightarrow$	>	AMOL		IT?		
	NEVER or less than once per month	<b>1</b> per	<b>2-3</b> per month	<b>1</b> per week	<b>2</b> per week	<b>3-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2+</b> per day	Medi servi siz	ing	s	М	L
Low or nonfat frozen desserts such as lowfat ice cream, frozen vogurt and sherbet	0	0	0	0	0	0	0	0	0	1 sco	оор	0	0	
ce cream and milkshakes	0	0	0	0	0	0	0	0	0	1 sco 1 sh		0	0	
Pudding, custard and flan	0	0	0	0	0	0	0	0	0	3/ <sub>4</sub> C	up	0	0	_
Doughnuts, pies and pastries	0	0	0	0	0	0	0	0	0	1 pie	есе	0	0	_
Cookies and cakes	0	0	0	0	0	0	0	0	0	2 me cookie 1 piec cak	es or ce of	0	0	
Chocolate, candy bars nd toffee	0	0	0	0	0		0	0	0	1 regula or 2 pie		0	0	
Other candy, such as										4 pieces or 12 jellybeans				
	0	0	0	0	0	0	0	0	0			0	0	
Lifesavers®, licorice and elly beans  PLEASE ANSWER THESE T	HREE IM	EVER ss thance p	or an er	JT Q 1-2 per week		- <b>4</b>			<b>1</b>				1 er	<b>5-</b> pe da
elly beans	HREE IM	EVER ss tha	or an er	<b>1-2</b> per week	UES 3- po we	- <b>4</b> er eek	NS! 5-6 per week	po da	<b>I</b> er ay	12 jellyl  2 per day	3 per day	2 pe da	1 er ay	<b>5</b> -
elly beans	HREE IM NE le oi	EVER ss tha	or an er	<b>1-2</b> per week	UES 3- po we	•4 er ek <b>e fre</b>	NS! 5-6 per week	po da	l er ay	12 jellyl  2 per	3 per day	2 pe da	t er ay	<b>5</b>

How often did you eat a serving of fruit? Do <u>not</u> count juices.

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

BEVERAGES and ALCOHOL													
	HOW OFTEN DID YOU DRINK THESE BEVERAGES?								? →	► AMOUN			
	NEVER or less than once per month	<b>1-3</b> per	<b>1</b> per week	<b>2-4</b> per week	<b>5-6</b> per week	<b>1</b> per day	<b>2-3</b> per day	<b>5-6</b> per day	6+ per day	Medium serving size	S	M	L
Note that the frequency headings are different.													
Milk (all types) as a beverage	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Latte, cappuccino, mocha or hot chocolate	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Coffee (not lattes or mochas)	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Tea (all types)	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Milk, cream or creamer added to tea and coffee	0	0	0	0	0	0	0	0	0	1 Tbsp.	0	0	0
Tomato juice, V-8® and other vegetable juices	0	0	0	0	0	0	0	0	0	<sup>3</sup> / <sub>4</sub> cup	0	0	0
Orange juice and grapefruit juice	0	6	0	0	Q	0	0	0	0	³/ <sub>4</sub> cup	0	0	0
Other 100% fruit juice, such as apple, grape and cranberry	0	0	0	0	0	0	0	0	0	³/ <sub>4</sub> cup	0	0	0
Fruit drinks fortified with Vitamin C, such as Hi-C®, Fruitopia® and Kool-Aid®	•	0	Q	0	0	0	0	0	0	1 cup	0	0	0
Meal replacement drinks and shakes such as Slim-Fast®, Ensure® and Carnation Instant Breakfast®	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Diet soft drinks	0	0	0	0	0	0	0	0	0	12 ounces or 1 can	0	0	0
Regular soft drinks		0	0	0	0	0	0	0	0	12 ounces or 1 can	0	0	0
Water (tap, bottled or sparkling)	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Beer (all types)	0	0	0	0	0	0	0	0	0	12 ounce can or bottle	0	0	0
Red wine	0	0	0	0	0	0	0	0	0	1 medium glass (6 oz)	0	0	0
White or rosé wine	0	0	0	0	0	0	0	0	0	1 medium glass (6 oz)	0	0	0
Liquor and mixed drinks	0	0	0	0	0	0	0	0	0	1 shot (1½oz) or 1 mixed drink	0	0	0

## **THANK YOU!**

Please take a moment to fill in any questions you may have skipped.



Mark Reflex® forms by NCS Pearson MM239292-1 654321 HC03 Printed in U.S.A.

PLEASE DO NOT WRITE IN THIS AREA 

**SERIAL** #